

MISTING WIZARDS

COMPACT OUTDOOR COMFORT

MW-75

MISTING SYSTEM

Compact booster-pump performance for refreshing ultrafine mist in beautifully designed outdoor and botanical spaces.

ULTRAFINE MIST

DIGITAL CONTROL

4-NOZZLE KIT

5 M TUBING

DESIGNED FOR

Pool cabanas • Patios • Restaurant terraces
• Conservatories • Greenhouse humidity support

COMPACT SYSTEM. REFINED COOLING.



PRODUCT SPECIFICATIONS

BOOSTER PUMP • DIGITAL MODES • COMPLETE FOUR-NOZZLE KIT

MW-75 MISTING SYSTEM

Powerful, efficient and long-lasting cooling.





INSTANT COOLING
Lowers temperature by up to 25°F.



ULTRA-FINE MIST
Creates a refreshing, natural cooling effect.



ENERGY EFFICIENT
Uses minimal water and electricity.



PERFECT FOR OUTDOORS
Patios, greenhouses, and more.

WHAT'S INCLUDED:



Misting System Unit



High-Pressure Tubing



Misting Nozzles



Fittings & Connectors



Power Adapter



Mounting Hardware

SYSTEM PROFILE

MODEL	MW-75 compact misting system
MIST	Ultrafine outdoor cooling / humidification
CONTROL	Top-mounted digital control panel
MODES	Continuous or intermittent spray
WATER INPUT	Direct water line or reservoir intake
TUBING	5 m black high-pressure tubing
NOZZLES	Four misting nozzles
KIT	Filter, adapter, fittings and mounting hardware

KEY BENEFITS

Compact footprint

A portable enclosure suited to discreet service locations.

Flexible water supply

Connect to a water line or draw from an approved reservoir.

Two operating modes

Choose continuous output or timed intermittent operation.

Complete starter kit

Tubing, four nozzles, filter, power adapter and hardware included.

APPLICATIONS

Residential patios and pool cabanas • Restaurant terraces • Gardens • Conservatories and greenhouse humidity support

PERFORMANCE NOTE

Cooling performance varies with ambient temperature, humidity, airflow, nozzle spacing, water quality, and installation. Because the supplied artwork lists conflicting temperature-reduction figures, no fixed degree reduction is claimed in this specification sheet.

KIT, SETUP & OPERATING MODES

A COMPACT SYSTEM DESIGNED FOR STRAIGHTFORWARD INSTALLATION



COMPLETE FOUR-NOZZLE PACKAGE

Pump, 5 m tubing, four nozzles, water filter, power adapter, fittings and mounting hardware.



Booster Pump

Outdoor Misting Cooling System

Can be used directly by connecting to a water pipe or intruding into the water without additional pressurization.

When the switch is 1 continuous spray, the display screen does not light up; when the switch is 2 intermittent spray, the display screen will light up.

CONTINUOUS OR INTERMITTENT OUTPUT

Mode 1 provides continuous spray; Mode 2 enables intermittent operation using the display.

1 Plan four nozzles

Space outlets evenly across the intended cooling zone.

2 Protect the pump

Use a stable, ventilated and weather-protected location.

3 Filter the water

Clean filtered water helps reduce nozzle obstruction.

4 Secure the tubing

Avoid sharp bends, abrasion and unsupported connections.

5 Test each mode

Commission continuous and intermittent operation.

6 Maintain routinely

Inspect the filter, tubing and nozzles regularly.

INSTALLATION NOTE

Use clean water and model-compatible components. Keep electrical connections dry, do not block ventilation openings, and follow the supplied instructions for mounting, priming, operating, winterizing, and cleaning the system.